

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|---------------------|
| L1 | 2 | "20010049682".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:38 |
| L3 | 2 | 1 and track\$4 and array | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:38 |
| L4 | 556 | recursive\$3 adj9 query | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:42 |
| L5 | 20 | 4 and dependency same graph | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:42 |
| L6 | 4 | 5 and tool and debugg \$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:42 |
| L7 | 4 | 5 and tool and debug \$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:43 |
| L8 | 20 | 5 and (construct\$6 or generat\$6 or reconstruct\$60 near9 graph or dependency or data or information or structure or array) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:47 |
| L9 | 19 | 5 and (construct\$6 or generat\$6 or reconstruct\$6) near9 (graph or dependency or data or information or structure or array) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:48 |

| | | | | | | |
|-----|-----|---|---|----|----|---------------------|
| L10 | 400 | 4 and (construct\$6 or generat\$6 or reconstruct\$6) near9 (graph or dependency or data or information or structure or array) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:58 |
| L11 | 19 | 10 and dependency same graph | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:59 |
| L12 | 36 | 10 and dependency and code adj object | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:59 |
| L13 | 1 | 10 and dependency same (code adj object) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 10:59 |
| L14 | 3 | 12 and recurs\$6 with occur\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:00 |
| L15 | 3 | 12 and recurs\$6 same occur\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:01 |
| L16 | 36 | 12 and recurs\$6 and occur\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:01 |
| L17 | 1 | 16 and recursion | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:01 |
| L18 | 36 | 12 and recurs\$6 and occur | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:01 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| L19 | 41 | 4 and (construct\$6 or generat\$6 or reconstruct\$6) near9 (graph or dependency) with (data or information or structure or array) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:07 |
| L20 | 98 | 4 and dependency and graph | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:10 |
| L21 | 12 | "Recursive Logic Queries" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:40 |
| L22 | 2000 | ((Recursive adj Query) or (logic adj query) or (query adj graph) or (dependency adj graph)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:42 |
| L23 | 81 | 22 and development adj tool and debug\$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:43 |
| L24 | 58 | 23 and (construct\$6 or generat\$6 or reconstruct\$6) with (graph or dependency or structure or array or table) with (data or information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:44 |
| L25 | 3 | 24 and stop\$6 with (recursion or "already" or occur\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:46 |
| L26 | 1 | 24 and stop\$6 with recursion with ("already" or occur\$6 or exist\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:47 |
| L27 | 201 | 22 and tool and debug \$8 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:47 |

| | | | | | | |
|-----|------|--|---|----|----|---------------------|
| L28 | 115 | 27 and (construct\$6 or generat\$6 or reconstruct\$6) with (graph or dependency or structure or array or table) with (data or information) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:48 |
| L29 | 1 | 28 and stop\$6 with recursion with ("already" or occur\$6 or exist\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:48 |
| L30 | 3 | 28 and stop\$6 with recursion | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:48 |
| L31 | 9367 | 30 dependency with (table or array or structure) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:49 |
| L32 | 3 | 30 and dependency with (table or array or structure) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 11:50 |
| L33 | 3 | 28 and stop\$6 with recurs\$6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 12:01 |
| L34 | 7 | 28 and (dependency with (stored or saved)) and (recurs\$6 or stop\$6 or already or occur\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 12:03 |
| L35 | 70 | 28 and ((dependency or graph or code or predicate) with (stored or saved)) and (recurs\$6 or stop\$6 or already or occur\$6) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 12:06 |
| L36 | 12 | 28 and ((dependency or graph or code or predicate) with (stored or saved)) and (recurs\$6 same (stop\$6 or already or occur\$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/06/06 12:07 |

6/6/08 12:10:49 PM

C:\Documents and Settings\aly\My Documents\EAST\Workspaces\LY.wsp